



UNIVERSITI PUTRA MALAYSIA

**WEB-BASED NETWORK DEVICE MONITORING TOOL USING
SIMPLE NETWORK MANAGEMENT PROTOCOL (SNMP)**

MD. JAKIR HOSSEN

FK 2003 33

**WEB-BASED NETWORK DEVICE MONITORING TOOL USING
SIMPLE NETWORK MANAGEMENT PROTOCOL (SNMP)**

By

MD. JAKIR HOSSEN

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia in
Fulfillment of Requirement for the Degree of Master of Science**

May 2003



To My Parents, Brothers and Sisters

Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfillment of the requirements for the degree of Master of Science

**WEB-BASED NETWORK DEVICE MONITORING TOOL USING SIMPLE
NETWORK MANAGEMENT PROTOCOL (SNMP)**

By

MD. JAKIR HOSSEN

May 2003

Chairman : Hj. Abdul Rahman Ramli, Ph.D.

Faculty : Engineering

The Internet enables different computer networks to join together into one network in which many different models of network devices can co-exist with each other. Standard management protocol is necessary for the purpose of managing these networks. SNMP (Simple Network Management Protocol), one of the standard protocols, is designed for this open-class management function and is successfully implemented.

This thesis suggests a monitoring of network device statistical data from a remote place. This approach reduced the complexity of existing techniques, which are basically operable in specific operating system and having no standard Graphical User Interface (GUI). To address this problem, a system based on WWW standard tool is developed which is SNMP compatible as well as operable with any network device.

The network device monitoring tool is a client program, which is managed and could be contacted with the server program. A web server and a browser are to provide static, dynamic, and interactive management information. A web server, which plays a

managing role, offers a variety of types of information. An SNMP agent, which co-operates with a web server, uses SNMP protocol and provides access to management information of network devices/agents. The implementation of the user interface using the web-based technique of Java Applet makes it possible for a manager to easily search and manage agent Management Information Base (MIB) through a browser. Java SNMP class files and SNMP Applet Server (SAS) classes are used inside the Web-server to communicate with network devices. The network device monitoring tool is configured to collect network statistical data. It can monitor the real time graph on the basis of MIB variable from remote place and shows more efficient than the existing tool.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia untuk memenuhi syarat penganugerahan Master Sains

**PERALATAN UNTUK PEMANTAUAN PERKAKASAN RANGKAIAN
MELALUI WEB MENGGUNAKAN PROTOKOL (SNMP)**

Oleh

MD. JAKIR HOSSEN

Mei 2003

Pengerusi : Hj. Abdul Rahman Ramli, Ph.D.

Fakulti : Kejuruteraan

Internet membolehkan pelbagai jenis rangkaian komputer disambungkan bersama dengan menggunakan pelbagai model perkakasan rangkaian. Justeru itu, suatu teknik yang piawai diperlukan untuk menguruskan perkakasan-perkakasan tersebut. SNMP merupakan protokol pengurusan perkakasan rangkaian piawai yang utama pada masa ini.

Tesis ini mencadangkan pemantauan data statistik perkakasan rangkaian dari jarak jauh. Pendekatan ini lebih mudah digunakan berbanding teknik yang sedia ada yang lebih kompleks. Teknik yang sedia ada cuma boleh berfungsi pada sistem operasi tertentu dan tiada pengantaramuka pengguna. Suatu sistem pemantauan yang berdasarkan piawai WWW telah dibangunkan untuk mengatasi kelemahan ini dan memudahkan pemantauan ke atas perkakasan rangkaian yang memahami protokol SNMP.

Perkakasan pemantuan rangkaian terdiri daripada program pelanggan yang diuruskan dan boleh menghubungi program pelayan. Pelayan web dan pelayar web digunakan

untuk menyediakan pengurusan maklumat yang statik, dinamik dan interaktif. Pelayan web memainkan peranan sebagai pengurus dengan menawarkan pelbagai jenis maklumat. Suatu agen SNMP yang bekerjasama dengan pelayan web menggunakan protokol SNMP dan menyediakan capaian kepada maklumat pengurusan perkakasan/agen rangkaian. Pengantaramuka pengguna dibangunkan dengan menggunakan teknologi aplet Java yang berdasarkan web yang membolehkan penyelia rangkaian mencari dan menguruskan Pengkalan Maklumat Pengurusan (MIB) melalui pelayar web. Fail-fail kelas SNMP Java dan Pelayan Aplet SNMP (SAS) digunakan di dalam pelayan web untuk berhubungan dengan perkakasan rangkaian. Alat pemantauan perkakasan rangkaian dikonfigurasi untuk mengambil data statistik rangkaian. Ia boleh memantau graf pada masa nyata berdasarkan pemboleh-ubah MIB dari jarak jauh dengan lebih cekap daripada alat yang sedia ada.

ACKNOWLEDGEMENTS

The author would like to thanks lord Allah the most gracious and merciful who gives ability to finish this project.

The author wishes to express his grateful thanks for the advice and assistance so generously given by his supervisor, Dr. Hj Abdul Rahman Ramli. This thesis project would not have been succeeded without his assistance, in particular, his leadership and support throughout the whole project. The author also thanks to Dr. Mohd Khazani Abdullah and Mrs. Wan Azizun Wan Adnan who are co-supervisors. Thanks for their support and constructive critics to produce this thesis in a reasonable time. Their effort is highly appreciated.

The author would like to thanks his elder brother Dr. Zahangir Alam who gave him the information about UPM and helped a lot about academically and morally during the study period. The author also would like to special thanks to his dearest parents, Mr. Md. Abdul Latif, Mrs. Nurzahan Begam, his dearest sisters brothers and all his relative for their patience, encouragement and support.

The author would like to thanks to his sister in-law Mrs. Sultana and the author's friends Mr. A.K.M. Parvez Iqbal, Shaiful Jahari Hashim, Ahmed Baba Elmadani, Lawan Ahmed Mohammed, Hanan Hassan Ali Adlan, Emhimed Mohamed Saffor and others for their moral support in the entire study period.

I certify that the Examination Committee met on 19th May 2003 to conduct the final examination of Md. Jakir Hossen on his Master of Sciences thesis entitled “Web-Based Network Device Monitoring Tool Using Simple Network Management Protocol (SNMP)” in accordance with Universiti Pertanian Malaysia (Higher Degree) Act 1980 and Universiti Pertanian Malaysia (Higher Degree) Regulation 1981. The Committee recommends that the candidate be Awarded the relevant degree. Members of the Examination Committee are as follows:

Mohamed Hadi Habaebi, Ph.D.

Faculty of Engineering
Universiti Putra Malaysia
(Chairman)

Hj. Abdul Rahman Ramli, Ph.D.

Faculty of Engineering
Universiti Putra Malaysia
(Member)

Mohd. Khazani Abdullah, Ph.D.

Associate Professor
Faculty of Engineering
Universiti Putra Malaysia
(Member)

Wan Azizun Wan Adnan

Faculty of Engineering
Universiti Putra Malaysia
(Member)



GULAM RUSUL RAHMAT ALI, Ph.D.

Professor/Deputy Dean
School of Graduate Studies
Universiti Putra Malaysia

Date: **24** JUL 2003

This thesis submitted to the Senate of Universiti Putra Malaysia has been accepted as fulfillment of the requirements for the degree of Master of Science. The members of Supervisory Committee are as follows:

Hj. Abdul Rahman Ramli, Ph.D.

Faculty of Engineering
Universiti Putra Malaysia
(Chairman)

Mohd Khazani Abdullah, Ph.D.

Associate Professor
Faculty of Engineering
Universiti Putra Malaysia
(Member)

Wan Azizun Wan Adnan

Faculty of Engineering
Universiti Putra Malaysia
(Member)



AINI IDERIS, Ph.D.

Professor/Dean
School of Graduate Studies
Universiti Putra Malaysia

Date: 15 AUG 2003

DECLARATION

I hereby declare that the thesis is based on my original work except for quotations and citations, which have been duly acknowledged. I also declare that it has not been previously or con-currently submitted for any other degree at UPM or other tertiary institution.

স্বাক্ষর: জাকির হোসেন

MD. JAKIR HOSSEN

Date: 27/06/03

TABLE OF CONTENTS

| | Page |
|---|------|
| DEDICATION | ii |
| ABSTRACT | iii |
| ABSTRAK | v |
| ACKNOWLEDGEMENTS | vii |
| APPROVAL | viii |
| DECLARATION | x |
| LIST OF TABLES | xvi |
| LIST OF FIGURES | xv |
| LIST OF ABBREVIATIONS | xvii |
| CHAPTER 1 | |
| INTRODUCTION | |
| 1.1 Introduction | 1.1 |
| 1.2 Justification of the Study | 1.3 |
| 1.3 Problem Statement | 1.4 |
| 1.4 Scope of the Thesis | 1.4 |
| 1.5 Objective | 1.5 |
| 1.6 Structure of the Thesis | 1.5 |
| CHAPTER 2 | |
| LITERATURE REVIEW | |
| 2.1 Network Management | 2.1 |
| 2.2 SNMP Framework | 2.3 |
| 2.3 Overview of the Java Programming | 2.4 |
| 2.3.1 Java Applet and Application Method | 2.5 |
| 2.3.2 The Java Security Concept | 2.6 |
| 2.4 Comparison of SNMP and Java approach | 2.8 |
| 2.5 SNMP Applet Server (SAS) | 2.9 |
| 2.6 Java Applet Support Through SAS | 2.10 |
| 2.7 SNMP and Mail Monitoring MIB | 2.11 |
| 2.8 Java-based Network Management Browser | 2.12 |
| 2.9 Java MAnagement Platform (JAMAP) | 2.13 |
| 2.10 AdventNet Web NMS | 2.14 |
| 2.11 Management Architecture For Router Networks | 2.15 |
| 2.12 Overview of the DR Web Manager | 2.16 |
| 2.13 Browse Large MIB Tables in a Effective Way | 2.17 |
| 2.14 Management Agent Developed for Multi-protocol Engine | 2.18 |
| 2.15 Management System for Network Monitoring Using Web | 2.19 |
| 2.16 Server Program | 2.20 |



| | | |
|--------|--|------|
| 2.16.1 | Common Gateway Interface | 2.20 |
| 2.16.2 | Java Servlets | 2.21 |
| 2.17 | Basic Web Documents | 2.22 |
| 2.18 | Web-Based Management | 2.24 |
| 2.18.1 | Web Technology | 2.24 |
| 2.18.2 | Web-Based Enterprise Management (WBEM) | 2.25 |
| 2.18.3 | Web-based Integrated Management Architecture | 2.25 |
| 2.18.4 | Web-based Network Management | 2.26 |
| 2.19 | Conclusion | 2.27 |

CHAPTER 3

METHODOLOGY

| | | |
|--------|--|------|
| 3.1 | Design of the Project | 3.1 |
| 3.2 | Setting the applet Classes and HTML file on the Web Server | 3.2 |
| 3.2.1 | Brief Description of Java Class Files | 3.4 |
| 3.3 | The Client Program Developed Model | 3.5 |
| 3.4 | The Server Program Model | 3.6 |
| 3.5 | Multi-user Environment Model | 3.7 |
| 3.6 | The Experimental Scenario Descriptions | 3.7 |
| 3.7 | Simple SNMP Operations | 3.8 |
| 3.8 | Working Procedure of Developed Tool Using SNMP | 3.13 |
| 3.9 | Upload MIB Module | 3.13 |
| 3.10 | Structure of Management Information (SMI) | 3.15 |
| 3.10.1 | Definitions of MIB-II Inside | 3.17 |
| 3.11 | Getting and Setting SNMP Variable | 3.18 |
| 3.12 | Underlying Communication Protocol | 3.19 |
| 3.13 | Flowchart of Device Management Tool | 3.20 |
| 3.14 | Existing Comparison Software | 3.23 |
| 3.14 | Conclusion | 3.24 |

CHAPTER 4

RESULTS AND DISCUSSIONS

| | | |
|-------|---|------|
| 4.1 | Web-Based Network Device Management Tool | 4.1 |
| 4.2 | Components Identity of Network Device Management Tool | 4.2 |
| 4.3 | Loading MIB Module into the Application | 4.5 |
| 4.4 | The Use of 'Get' Request Command | 4.7 |
| 4.4.1 | The 'System' Group of MIB File | 4.8 |
| 4.4.2 | The 'Interface' (If) Group of MIB File | 4.12 |
| 4.4.3 | The 'IP' (Internet Protocol) Group of MIB File | 4.14 |
| 4.4.4 | The 'TCP' (Transmission Control Protocol) Group of MIB File | 4.16 |
| 4.4.5 | The 'UDP' (User Datagram Protocol) Group of MIB File | 4.17 |
| 4.4.6 | The 'SNMP' (Simple Network Management Protocol) Group of MIB File | 4.18 |

| | | |
|---------|--|------|
| 4.5 | GetNext Request Command | 4.20 |
| 4.6 | Viewing Real time Graph on the Basis of Current Variable | 4.21 |
| 4.7 | Help and Debugging Output | 4.23 |
| 4.8 | Result Analysis | 4.25 |
| 4.8.1 | Bytes/Packets Received Using Both Application | 4.26 |
| 4.8.1.1 | Calculations for <i>Interface input Octets</i> | 4.27 |
| 4.8.1.2 | Calculations for <i>Interface Output Octets</i> | 4.29 |
| 4.8.1.3 | Calculations for <i>SNMP input Packets</i> | 4.31 |
| 4.8.1.4 | Calculations for <i>SNMP Output Packets</i> | 4.34 |
| 4.9 | Summary | 4.35 |

CHAPTER 5

CONCLUSIONS AND RECOMMENDATIONS

| | | |
|-----|---|-----|
| 5.1 | Conclusions | 5.1 |
| 5.2 | Recommendations for Future Research Works | 5.2 |

| | |
|------------------------|-----|
| REFERENCES | R.1 |
| APPENDIX A | A.1 |
| APPENDIX B | B.1 |
| BIO DATA OF THE AUTHOR | C.1 |

LIST OF TABLES

| Table | | Page |
|-------|---|------|
| 2.1 | Comparison between the Java And SNMP approaches | 2.9 |
| 3.1 | The simple descriptions of groups variables | 3.18 |
| 4.1 | <i>Interface Input Octets</i> for Web-SNMP and X-SNMP | 4.26 |
| 4.2 | <i>Interface Output Octets</i> for Web and X SNMP | 4.28 |
| 4.3 | <i>Snmp Input Packets</i> for Web-SNMP and X-SNMP | 4.30 |
| 4.4 | <i>Snmp Output Packets</i> for Web-SNMP and X-SNMP | 4.33 |
| 4.5 | Compare between X-SNMP and Web-SNMP | 4.36 |

LIST OF FIGURES

| Figure | Page |
|--|------|
| 2.1 An SNMP Architecture | 2.3 |
| 2.2 Flow Diagram of the Applet Support Through SAS | 3.10 |
| 2.3 MTA MIB in the SNMP OID Tree | 2.11 |
| 2.4 Network Management Browser | 2.13 |
| 2.5 Push-based Network Management Model | 2.13 |
| 2.6 Web NMS Product Architecture | 2.14 |
| 2.7 Management System Architecture | 2.16 |
| 2.8 DR-Web Shape Architecture | 2.17 |
| 2.9 Management agents Development With Different Protocol Engine | 2.18 |
| 2.10 The System Architecture | 2.19 |
| 3.1 Design Flow Diagram of the Project | 3.2 |
| 3.2 Documents directory of the project | 3.3 |
| 3.3 Client Program Model | 3.6 |
| 3.4 Server Program Model | 3.6 |
| 3.5 Multi-user Environmental Model | 3.7 |
| 3.6 Flow Diagram of the Simple SNMP Operation | 3.9 |
| 3.7 Network Device Management Architecture | 3.10 |
| 3.8 Managed Object in SNMP Agents | 3.10 |
| 3.9 Flowchart of SNMP “Get ” Message Operation | 3.12 |
| 3.10 Flowchart of MIB Module Loading | 3.15 |
| 3.11 The Global Object Identifier Tree Over the Internet | 3.16 |
| 3.12 Flowchart of Web-Based Network Device Management Tool | 3.22 |
| 3.13 Existing Application or X-SNMP | 3.23 |
| 4.1 Web-Based Network Device Management Tool (Applet) | 4.2 |
| 4.2 The Components Identity of Monitoring Tool | 4.3 |
| 4.3 Loading MIB Module on the Applet | 4.5 |
| 4.4 MIB Loaded on the Applet | 4.6 |

| | | |
|------|--|------|
| 4.5 | The MIB Node Groups Display on the Tree Area | 4.7 |
| 4.6 | Query Results of System Description Variable | 4.9 |
| 4.7 | Query Results of System Object ID Variable | 4.10 |
| 4.8 | Query Results of System Restart Time Variable | 4.11 |
| 4.9 | Query Results of System Name Variable | 4.12 |
| 4.10 | Query Results of Interface Table | 4.13 |
| 4.11 | Query Results of IP Address Table | 4.14 |
| 4.12 | Query Results of IP Routing Table | 4.15 |
| 4.13 | Query Results of TCP Address Table | 4.16 |
| 4.14 | Query Results of UDP Table Variable | 4.17 |
| 4.15 | Query Results of Number of SNMP Input Packets | 4.19 |
| 4.16 | Query Results of Number of SNMP Output Packets | 4.20 |
| 4.17 | Query Results of System Group When Click <i>GetNext</i> Button | 4.21 |
| 4.18 | Real Time Graph of <i>ifInOctets</i> Variable | 4.22 |
| 4.19 | Average Real Time Graph of <i>ifInOctets</i> Variable | 4.23 |
| 4.20 | Help and Debugging Output Information | 4.24 |

LIST OF ABBREVIATIONS

| | |
|-------|---|
| API | Application Programming Interface |
| ASN.1 | Abstract Syntax Notation One |
| AT | Address Translation |
| ATM | Asynchronous Transfer Mode |
| BER | Basic Encoding Rule |
| CGI | Common Gateway Interface |
| CIM | Common Information Model |
| CORBA | Common Object Request Broker Architecture |
| DBMS | Data Base Management System |
| EGP | Exterior Group Protocol |
| GUI | Graphical User Interface |
| HTML | Hyper Text Markup Language |
| HTTP | Hyper Text Transfer Protocol |
| IBM | International Business Machine |
| ICMP | Internet Control Message Protocol |
| IP | Internet Protocol |
| ISO | International Standard Organization |
| IT | Information Technology |
| JDBC | Java Data Base Connectivity |
| JDK | Java Development Kit |
| JMX | Java Management Extension |
| JPEG | Joint Picture Expert Group |
| JVM | Java Virtual Machine |
| LAN | Local Area Network |
| MIB | Management Information Base |
| MIME | Multipurpose Internet Mail Extension |
| MTA | Mail Transfer Agents |
| NHD | Network Hardware Division |
| NMS | Network Management System |



| | |
|------|--|
| OID | Object Identifier |
| OS | Operating System |
| OSI | Open System Interconnect |
| PDU | Portable Data Unit |
| PERL | Practical Extraction and Report Language |
| QOS | Quality Of Service |
| RDMS | Relational Data Base Management System |
| RFC | Request For Comments |
| RMI | Remote Method Invocation |
| SAS | SNMP Applet Server |
| SMI | Structure of Management Information |
| SNMP | Simple Network Management Protocol |
| SSI | Server Side Include |
| TCP | Transmission Control Protocol |
| UDP | User Datagram Protocol |
| URL | Uniform/Universe Resource Locator |
| VOIP | Voice Over Internet Protocol |
| WAN | Wide Area Network |
| WBEM | Web-Based Enterprise Management |
| WIMA | Web Integrated Management Architecture |
| WWW | World Wide Web |
| XML | Extensible Markup Language |

CHAPTER 1

INTRODUCTION

1.1 Introduction

There has been an explosive growth in the Internet for the last few years. Millions of computer are connected together and can exchange information through the World Wide Web (WWW), or global networking. The availability of connection through the Web has introduced many new services such as e-commerce, Voice Over Internet Protocol (VOIP), telemedicine, and virtual library.

Network management includes the deployment, integration and coordination of the hardware, software, and human elements to monitor, test, poll, configure, analyze, evaluate, and control the network and element resources to meet the real-time, operational performance, and Quality of Service (QoS) requirements at a reasonable cost. Network management is the sum of all activities related to configure, control and monitor network and systems (William, 1993).

Simple Network Management Protocol (SNMP) is governs networks management and monitoring the network devices and their functions. SNMP defines a client-server relationship (Stalling, 1999). The client program (called the network manager) makes virtual connection to a server program (called the SNMP agent), which executes on a remote network device and serves information to the manager regarding the device's status.

The database controlled by the SNMP agent, is referred to as the SNMP Management Information Base (MIB), and is a standard set of statistical and control values. Management Information Bases are a collection of definitions, which define the properties of the managed object within the device to be managed. Every managed device keeps a database of values for each of definitions written in the MIB. The latest Internet MIB is given in RFC 1213 sometime called the MIB-II. It can be thought of a MIB as an information warehouse (David, 1999).

Web technology is very rapidly penetrating many business areas. Systems and network management is no exception. The technology is based on the Internet and offers a number of benefits in terms of openness and ubiquity of its standards and tools. The ability to use a universal browser to access management functions, device status and statistics, and to configure remote managed objects from anywhere at anytime gives many advantages to a network administrator.

The Java language was developed at Sun Microsystems in 1991 as part of a research project to develop software for consumer electronics devices, television sets, VCRs, toasters, and others sorts of machine. Java's goals at that time were to be small, fast, efficient and easily portable to a wide range of hardware devices. Those goals made Java an ideal language for distributing executable programs via the World Wide Web and also a general purpose programming language for developing programs that are easily usable and portable across different platforms. Java programs (Applets, Applications) can run on any machine that has the Java Virtual Machine and Web browser installed. Java Applet is a small application, which is run on the Web browser and provides an interesting graphical display.

Web-Based Management is the application of Internet and Java programming technologies for network and device management. Those technologies are the latest; little research has been made on them so far. This research includes the comparisons of Web-Based Management with conventional SNMP Management. In this comparison emphasis is put on several characteristics, such as security, cost, and user friendliness.

In this study, a method is presented as evidence that the Web-Based Management is one of the latest application for network device monitoring that can be used to solve existing problems.

1.2 Justification of the Study

One of the latest emerging technologies is the use of Internet technology and Java for network and SNMP for network device monitoring purposes. This application is called Web-Based Network Device Monitoring (WBNDM). WBNDM is latest and it is time to judge the value of this new technology by conducting proper research. Therefore, the aims of this study are:

- a) To study on Web-Based Management and its application to the network device monitoring.
- b) To compare between the developed tool and the conventional SNMP monitoring tool. In this comparison the emphasis is put on speed of packets or octets transfer from clients to computer agents and vice versa.

1.3 Problem Statement

Conventional network management systems that have been studied and developed until now tend to incline to the analysis of equipment itself or traffic. They have some drawbacks. They are difficult to use and do not furnish integrated environment. Also, they have several limitations that include being operated on specific operating system and having no standard graphical user interface (Hong, et al., 1999) as well as other limitations such as those concerning standardization (Stalling, 1999). As a result, it is not easy to monitor and configure the network device statistical data from remote place in a standard Graphical User Interface manner.

1.4 Scope of the Thesis

In this research, the study is concentrated on three main parts. They are SNMP, Web-Based management, and Java programming. Apache Tomcat Web server, and SNMP Applet Server (SAS) are used in this study. The goal of this tool is to monitor and configure functions to be performed on a communication network. The development of this prototype serves to investigate the extent to which the applications offer a monitoring of network device statistical data from remote place in an efficient mode.

1.5 Objective

The main goal of this study is to develop a sophisticated Web-Based Network Device Monitoring Tool by exploiting the advantages provided by Java programming language and its mobile agent characteristics. The objectives are as follows:

- a) To develop a client program using Java programming language and runs on the standard Web browser. The Java Applet (client program) is interfaced to the network agent/device via SNMP Applet Server (SAS) using Apache Tomcat Web server.
- b) To monitor the configured statistical data of the network agents/devices from remote place using existing Simple Network Management Protocol (SNMP).
- c) To compare between the developed tool and the conventional SNMP management tool that evaluates the speed on the basis of MIB variables.

1.6 Structure of the Dissertation

Firstly, Chapter 1 of this dissertation introduces the subject matter as well as discussing the problem, scope and objectives of concern. Chapter 2 is devoted to network management, SNMP and Java tutorials, previous work, and work related with the project, and presents the current state of Web-based management tools and their pros and cons. Chapter 3 focuses on the solution methods and highlights the contributions, model, submodel proposed for Web-Based Network Device Monitoring Tool. Chapter 4 presents the result and discussion on implementation and validation of proposed solution. Finally, the conclusion and some directions for future work are delivered in Chapter 5.

CHAPTER 2

LITERATURE REVIEW

This chapter offers discussions about the applicability of network, tutorials of SNMP and Java programming, and criticisms of different SNMP tools, and server programs. Finally, basic Web documents, Web technologies, and various types of Web- based management architecture from academia and institution are discussed.

2.1 Network Management

The evolution of network management has been in close systems and communication network with the way in which systems and network themselves have evolved - from a limited interconnected homogenous set of systems under one domain to a large heterogeneous distributed communication environment spanning across multiple domains. It is evident that the complexity of network management has accumulated over the years to cater to the heterogeneous and ubiquitous communication networks that we have today. The complexity has been a direct consequence of variety of network components, geographic distribution of components, multiple operating domains, integrated service environment and heterogeneity of systems.

Five major functional areas of network management are defined by ISO including configuration management, accounting management, fault management, performance management, and security management. Based on the functionality of configuration management defined by the Open System Interconnect (OSI) (OMAP, 1998)